

Original Paper

# COVID-19 Misinformation and Social Network Crowdfunding: Cross-sectional Study of Alternative Treatments and Antivaccine Mandates

Nathan M Shaw<sup>1</sup>, MD; Nizar Hakam<sup>1</sup>, MD; Jason Lui<sup>1</sup>, BSc; Behzad Abbasi<sup>1</sup>, MD; Architha Sudhakar<sup>1</sup>, MD; Michael S Leapman<sup>2</sup>, MD; Benjamin N Breyer<sup>1,3</sup>, MD, MSc

<sup>1</sup>Department of Urology, University of California, San Francisco, San Francisco, CA, United States

<sup>2</sup>Department of Urology, Yale University School of Medicine, New Haven, CT, United States

<sup>3</sup>Department of Epidemiology and Biostatistics, University of California, San Francisco, San Francisco, CA, United States

**Corresponding Author:**

Nathan M Shaw, MD

Department of Urology

University of California, San Francisco

1001 Potrero Ave

Suite #3A26

San Francisco, CA, 94110

United States

Phone: 1 9252859854

Email: [shawlah88@gmail.com](mailto:shawlah88@gmail.com)

## Abstract

**Background:** Crowdfunding is increasingly used to offset the financial burdens of illness and health care. In the era of the COVID-19 pandemic and associated infodemic, the role of crowdfunding to support controversial COVID-19 stances is unknown.

**Objective:** We sought to examine COVID-19–related crowdfunding focusing on the funding of alternative treatments not endorsed by major medical entities, including campaigns with an explicit antivaccine, antimask, or antihealth care stances.

**Methods:** We performed a cross-sectional analysis of GoFundMe campaigns for individuals requesting donations for COVID-19 relief. Campaigns were identified by key word and manual review to categorize campaigns into “Traditional treatments,” “Alternative treatments,” “Business-related,” “Mandate,” “First Response,” and “General.” For each campaign, we extracted basic narrative, engagement, and financial variables. Among those that were manually reviewed, the additional variables of “mandate type,” “mandate stance,” and presence of COVID-19 misinformation within the campaign narrative were also included. COVID-19 misinformation was defined as “false or misleading statements,” where cited evidence could be provided to refute the claim. Descriptive statistics were used to characterize the study cohort.

**Results:** A total of 30,368 campaigns met the criteria for final analysis. After manual review, we identified 53 campaigns (0.17%) seeking funding for alternative medical treatment for COVID-19, including popularized treatments such as ivermectin (n=14, 26%), hydroxychloroquine (n=6, 11%), and vitamin D (n=4, 7.5%). Moreover, 23 (43%) of the 53 campaigns seeking support for alternative treatments contained COVID-19 misinformation. There were 80 campaigns that opposed mandating masks or vaccination, 48 (60%) of which contained COVID-19 misinformation. Alternative treatment campaigns had a lower median amount raised (US \$1135) compared to traditional (US \$2828) treatments ( $P<.001$ ) and a lower median percentile of target achieved (11.9% vs 31.1%;  $P=.003$ ). Campaigns for alternative treatments raised substantially lower amounts (US \$115,000 vs US \$52,715,000, respectively) and lower proportions of fundraising goals (2.1% vs 12.5%) for alternative versus conventional campaigns. The median goal for campaigns was significantly higher (US \$25,000 vs US \$10,000) for campaigns opposing mask or vaccine mandates relative to those in support of upholding mandates ( $P=.04$ ). Campaigns seeking funding to lift mandates on health care workers reached US \$622 (0.15%) out of a US \$410,000 goal.

**Conclusions:** A small minority of web-based crowdfunding campaigns for COVID-19 were directed at unproven COVID-19 treatments and support for campaigns aimed against masking or vaccine mandates. Approximately half (71/133, 53%) of these campaigns contained verifiably false or misleading information and had limited fundraising success.

**International Registered Report Identifier (IRRID):** RR2-10.1001/jamainternmed.2019.3330

**KEYWORDS**

COVID-19; misinformation; infodemic; social media; GoFundMe; vaccine hesitancy; vaccination; infodemiology; campaign; treatment; vaccine mandate; health care; online health information

## Introduction

The COVID-19 pandemic has resulted in tremendous health and financial consequences worldwide, with an estimated loss of 24 trillion dollars in the first year of the pandemic alone [1]. During the pandemic, many turned to crowdfunding to cover health expenditures, as they lost business revenue and were confronted with other new financial burdens; this increase has been similarly seen in the use of crowdfunding for other illnesses [2,3]. The initial increase in funding requests—150,000 campaigns (not all COVID-19 related) in March 2020 alone—were so dramatic that it prompted public comments to the US Congress from the GoFundMe website [4]. GoFundMe remains the largest crowdfunding service, and prior to the pandemic over one-third of the campaigns were used for medical purposes [5-8].

The pervasiveness of unproven or disproven theories about COVID-19—particularly the safety and efficacy of vaccination, nonpharmaceutical interventions such as masking, and potential treatments—poses a major and persistent public health challenge. The “infodemic”—defined as an “overwhelming, complex, and contradictory information... including fake news... about the origins of the virus... treatment options unsupported by data... and the life-saving vaccine”—has accompanied the COVID-19 pandemic [9]. The volume and pace of new information related to vaccination, masking, health care burnout, compassion fatigue, novel variants, and alternative treatments have changed the landscape and discussion around COVID-19 [10-12]. Furthermore, data continue to suggest that misleading COVID-19 information remains prevalent across search and social media platforms [13-18]. One study examined the use of GoFundMe to raise money for unproven COVID-19 prophylactic medications and suggested that GoFundMe be included as part of the conversation around COVID-19 misinformation [19]. As the world enters the third year of the pandemic, there have been media reports that GoFundMe has continued to be used to fundraise for COVID-19 misinformation campaigns, occasionally resulting in removal by GoFundMe [20,21]. While there is no stated policy on GoFundMe regarding COVID-19 misinformation, a press release noted that “Fundraisers raising money to promote misinformation about vaccines violate GoFundMe’s terms of service and will be removed from the platform” [22]. There are no recent data to examine the use of the platform as a means to disseminate unproven, disproven, or misleading COVID-19 information and to fundraise for these causes.

We conducted a comparative analysis of crowdfunding campaigns for COVID-19–related requests. We analyzed campaigns for financial outcomes to better understand the economic needs of this population and the ongoing social appetite for crowdfunding COVID-19–related issues. We specifically sought to evaluate fundraising seeking assistance

for unproven, disproven, or misleading information, including alternative treatments not endorsed by public health agencies. In addition, we examined fundraising aimed at opposition to COVID-19 mitigation efforts, including masking and vaccination. Finally, we examined the prevalence of COVID-19 misinformation among these campaigns.

## Methods

### Data Source and Study Design

We performed a cross-sectional analysis of GoFundMe campaigns for individuals requesting donations for COVID-19 relief. All campaigns that were open or collected donations on GoFundMe from September 2021 to November 2021 were screened. Campaigns in which the story, title, or category included COVID-19 or the following key words were included: “COVID-19,” “Corona Virus,” “China Virus,” “SARS-CoV2,” “Pandemic,” “Right to Try\*,” “Vit\* D\*,” “Hydroxychloroquine,” “Ivermectin,” “FrontLine COVID-19 Critical Care Alliance (FLCCC),” “Vaccine\*,” “Mask\*,” “Ventilator,” “Hospital\*,” “Nitrous oxide (NOS),” “Melatonin,” “CoronaBox,” “Essential Oils,” “Herbal\*,” “Homeopath\*,” “Complimentary,” and “\*Mandate\*.” Key words were generated based on publicly available lists of frequently searched COVID-19–related “unproven” treatments and myths (Centers for Disease Control and Prevention, World Health Organization, Wikipedia, WebMD, Mayo Clinic, and Johns Hopkins) [23-27]. The list was reviewed and finalized in consultation with an expert author (ML). Asterix (\*) indicates a variable to incorporate multiple suffixes or prefixes. For example, Homeopath\* would collect searches in which Homeopathic or Homeopathy were included.

These key words were queried on the GoFundMe platform across 50 US states for 1200 searches (50 states x 24 key words = 1200 searches). Of note, the use of states improves search algorithm by limiting the individual search results in Python (Python Software Foundation) without changing the campaigns that were captured [8]. A custom Python programming language code was used to automatically retrieve information from publicly available campaign webpages. This search was conducted in November 2021. Manual review took place in February of 2022. This data collection methodology has been previously described [28,29].

### Categories and Manual Review


The initial study population was filtered by the same key words to ensure the inclusion of “COVID-19,” “Pandemic,” “Corona Virus,” “China Virus,” or “SARS-CoV2” in the title or story of the campaign in relation to the pandemic or its effect. Further key word categorization was performed to divide the selection into categories that were chosen a priori, such as “Alternative treatments,” “Business-related,” “First Response,” “Mandate,” “Traditional Treatments,” and “General” ([Multimedia Appendix](#)

1). “Alternative treatments” was defined by key words within the campaign ([Multimedia Appendix 1](#)), which focused on the use of unproven or complementary therapies for COVID-19 (eg, “The specific goal of this fundraiser is to support [treatment] with Ivermectin”). Moreover, “Business-related” was defined by key words ([Multimedia Appendix 1](#)) that focused on funding for lost income or commercial revenue (eg, “Covid was devastating for my businesses and I wasn't eligible for jobkeeper so I've been on a bit of a knife edge for the last year”). “First Response” was defined by key words ([Multimedia Appendix 1](#)) that focused on funding for COVID-19 first responders, mission trips, or community organizations (eg, “Unfortunately, these hardworking men and women [nurses] don't have the necessary protection they need to stay safe as they save lives so that they can continue to save lives”). “Mandate” was defined by key words ([Multimedia Appendix 1](#)) that focused on funding for legal relief from COVID-19–related restrictions (eg, “Breathe Free Colorado was founded to stop the unconstitutional mask mandate created by Governor through executive order”). “Traditional Treatments” was defined by key words ([Multimedia Appendix 1](#)) that focused on funding for COVID-19 hospital or other health expenditures (eg, “Mickey has contracted covid19 and is in the UIHC in Iowa City on a ventilator and very sick. Mickey was the household income so they're needing help plus hospital Bill's are piling up. Please help if you can”). All other campaigns that did not fall into the established categories based on key word were defined as “General.” A hierarchy was established such that campaigns in which multiple key words were present were preferentially assigned to (1) “Alternative Treatment,” (2) “Mandate,” (3) “Traditional Treatments,” (4) First Response,” and (5) “General.” This hierarchy was chosen a priori, knowing categories 1 and 2 would be manually reviewed.

All campaigns identified by key word in the categories “Mandate” and “Alternative Treatment” were manually

reviewed. Manual review confirmed that the campaign was seeking funding relief for the alternative treatment or mandate-related expenses and confirmed the web-scraped variables (eg, funding goal and total funds raised) were accurate and up-to-date. Furthermore, manual review of the “Mandate” category facilitated further analysis of whether the mandate-related campaigns were pro- or antimask and pro or antivaccine. Manual review was also performed for a random sample of 100 campaigns from each other category (“Business-related,” “First Response,” “Mandate,” “Traditional Treatments,” and “General”) as a similar sensitivity analysis. Campaigns were permitted to be moved from one category to another or excluded on manual review.

Manual review was also undertaken to capture campaigns containing explicit COVID-19 misinformation. COVID-19 misinformation for the purposes of this study adapted the standard definition of “false or misleading information meant to deceive” [30] to include only those claims where direct cited evidence could be provided to refute a claim. For each misleading statement, a reference is provided to directly refute this claim. Vague claims or those that could not be possible to prove false were not considered misinformation. For example, a campaign claiming individual side effects from the vaccine, which could not possibly be verified, would not be coded as containing misinformation. Similarly, charged language around vaccination (eg, “jab of Satan”) was not considered misinformation. Statements such as “masks cause harm” or “children cannot get COVID-19” were considered misinformation, and references were provided demonstrating the claims as false. Finally, the manual review stated if the campaign was withdrawn. The full review process is summarized in [Figure 1](#). The design and reporting of this study adhered to the guidelines of the Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement ([Multimedia Appendix 2](#)) [31].

**Figure 1.** Inclusion of COVID-19–related campaigns.

## Variables

For each campaign, basic narrative features, engagement metrics, and financial variables were extracted. We examined campaign titles, narratives, creation date, number of social media shares, campaign goal amount, number of donations, and amount of funding raised. Among those that were manually reviewed, the variables of “Mandate Type,” “Prorestriction,” and “Antirestriction” were also included. Campaigns were also reviewed for COVID-19 misinformation. As described above, this adhered to the strict definition of verifiably false information included in the title, description, or story of the included campaign. Within the “Alternative Treatment” category, the individual drug or treatments were reviewed and included in the analysis.

## Statistical Analysis

We used descriptive statistics to characterize the study cohort. Continuous variables skewed distribution and were reported as median (interquartile range). Campaign success was defined as those that received funding amounts equal to the declared goal or higher. Campaigns with no funding goal were considered neither successful nor unsuccessful. Campaigns that were not open for at least 30 days at the time of data collection were excluded. We reported the proportion of campaigns deemed successful as well as the median percentile of funding goal received. Characteristics of successful and unsuccessful campaigns were compared using the chi-square or Fisher exact tests for categorical variables (campaign success, median goal,

median raised, median donors, median donations, and campaign type) or Mann Whitney *U* test for continuous variables (donors, donations, total amount raised, total campaign goal, photos, updates, comments, shares, and followers). In a similar fashion, we compared campaigns in the “Traditional Treatments” category to those in the “Alternative Treatments” category, and we compared those supporting vaccine or mask mandates to those opposing vaccine or mask mandates within the “Mandates” category. We used Stata 17 (StataCorp), and we considered a 2-sided *P* value of <.05 as statistically significant.

## Ethics Approval

The data collected from GoFundMe were deidentified and did not qualify under the University of California Institutional Review Board (IRB) as human subjects research. Therefore, IRB approval was not sought, and appropriate IRB self-certification was completed and maintained per University of California San Francisco policy.

## Results

### Campaigns

A total of 126,695 campaigns were identified for analysis, 126,312 (99.7%) of which were active from April 2011 to November 2021. Of those, 30,368 (24.0%) campaigns met the criteria for final analysis (Figure 1). Moreover, 6444 campaigns were seeking aid for medical costs associated with COVID-19. The majority of these (6391/6444, 91.2%) were seeking aid for traditional treatments including hospital or intensive care unit



care (4285/6444, 66.5%), medical bills or hospital bills (1569/6444, 24.3%), remdesivir (63/6444, 0.98%), monoclonal antibody treatment (16/6444, 0.25%), and home oxygen (13/6444, 0.20%; [Multimedia Appendix 1](#)). Based on key word, there were 568 campaigns assigned to alternative treatments. After excluding those classified as “General,” “Business,” “First Response,” “Traditional Treatment,” and “Mandate,” there were

53 campaigns (53/30,368, 0.17%) that were expressly seeking funding for unproven or alternative treatments for COVID-19 ([Table 1](#)). These campaigns requested donations including stories asking for herbal remedies (17/53, 32%), ivermectin (14/53, 26%), hydroxychloroquine (6/53, 11%), and vitamin D (4/53, 7.5%).

**Table 1.** Campaign characteristics and predictors of campaign success.

Category	Values			P value <sup>b</sup>
	All	Unsuccessful <sup>a</sup>	Successful	
Total, n (%)	30,368 (100)	25,502 (86.9)	3847 (13.1)	.003
Alternative treatments, n (%)	53 (0.17)	44 (88)	6 (12)	— <sup>c</sup>
Mandate, n (%)	96 (0.32)	90 (95.7)	4 (4.3)	—
First response, n (%)	3260 (10.7)	2691 (86.5)	421 (13.5)	—
Traditional treatments, n (%)	6391 (21)	5270 (85.7)	883 (14.4)	—
Businesses, n (%)	415 (1.4)	353 (87.4)	51 (12.6)	—
General, n (%)	20,153 (66.4)	17,054 (87.3)	2482 (12.7)	—
Number of followers, median (IQR)	27 (4-75)	21 (2-62)	81 (39-172)	<.001
Number of donations, median (IQR)	21 (2-58)	16 (1-48)	63 (30-134)	<.001
Number of donors, median (IQR)	20 (2-55)	15 (1-46)	60 (29-127)	<.001
Ratio donations:donors, median (IQR)	1.01 (1-1.05)	1.006 (1-1.05)	1.019 (1-1.05)	<.001

<sup>a</sup>Some campaigns did not have funding goal despite remaining open. This accounts for the small number missing between the total n and those included in the campaign success columns.

<sup>b</sup>Statistical tests comparing successful vs unsuccessful campaigns.

<sup>c</sup>Not available or appropriate.

## Alternative Versus Traditional Treatment

Among the 53 campaigns identified as seeking funds for unproven COVID-19 treatment, the median fundraising goal (US \$10,750) was higher than campaigns seeking money for traditional treatment (US \$10,000), and fewer alternative campaigns met their stated goal (9/53, 16.9%) compared to traditional (1121/6391, 17.5%;  $P=.92$ ). Alternative treatment campaigns had a significantly lower median amount raised compared with traditional treatments (US \$1135 vs US \$2828, respectively;  $P<.001$ ) and a lower median percentile of target achieved at 11.9% for alternative compared to 31.1% for traditional treatments ( $P=.003$ ). Taken as an aggregate, traditional treatments raised 12.5% of the total requested funding goal while alternative treatments reached only 2.1% ([Table 2](#); [Figure 2](#)). On manual review, the 6 (6/53, 11%) campaigns in the alternative treatment that met their goal were substantively different from the unsuccessful campaigns. Moreover, 2 (2/53, 4%) campaigns were written for family members who were severely ill in the intensive care unit requesting funds to add alternative treatments to traditional as “last resorts.” An additional 2 (2/53, 4%) campaigns were seeking funding for herbal remedies to help whole communities—Navajo nation and an unspecified “ancient folk” community. Only 2 (2/53, 4%) successful campaigns were written by the individual

seeking funds, and both cited multiple other hardships and medical comorbidities in addition to asking for funding for alternative treatment (ivermectin in both cases). Another successful campaign was seeking funding for a study to evaluate the efficacy of vitamin D for treatment and prevention of COVID-19. Interestingly, despite its success, this campaign was withdrawn during the period of manual review. Finally, the highest grossing successful and unsuccessful alternative treatment campaigns (US \$12,555 donated from US \$100 asked and US \$11,684 donated from US \$30,000 asked) were seeking funding for frontline medical personnel, including the use of vitamin D and ivermectin for the treatment and prevention of COVID-19.

Alternative treatments contained COVID-19 misinformation in 23 (43%) campaigns including advocacy on alternative treatments over vaccination or traditional treatments ( $n=18$ , 34%), claims that the pandemic is not real or is a conspiracy ( $n=2$ , 4%), and false claims about the safety or efficacy of the vaccine ( $n=3$ , 7%). From the manual review of the subset ( $n=100$ ) of traditional treatments, none of them contained COVID-19 misinformation. A total of 5 (5/53, 9.4%) alternative treatment campaigns were withdrawn by the manual review period compared to 1 (1/100, 1%) in the traditional group ([Table 3](#)).


**Table 2.** Comparison of traditional and alternative treatment campaigns.

Characteristics	Alternative treatments	Traditional treatments	P value
Total campaigns	53	6391	— <sup>a</sup>
Success, n (%)	9 (16.9)	1121 (17.5)	.92
Total amount raised (US \$)	115,463	52,715,762	—
Total amount goal (US \$)	5,600,725	421,223,293	—
Total achieved (%)	2.06	12.5	—
<b>Campaign features</b>			
Goal (US \$), median (IQR)	10,750 (2700-30,000)	10,000 (5000-23,000)	.81
Funds raised (US \$), median (IQR)	1135 (50-2975)	2828 (665-7788)	<.001
Funds raised <sup>b</sup> (%), median (IQR)	11.9 (0.01-38.9)	31.1 (6.8-74.9)	.03
Photos, median (IQR)	1 (1-3)	1 (1-2)	.76
Number of updates, median (IQR)	0 (0-3)	1 (0-2)	.78
Number of comments, median (IQR)	0 (0-2)	1 (0-3)	.009
Number of donations, median (IQR)	17 (1-36.5)	35 (10-85)	.001
Number of donors, median (IQR)	16.5 (1-32)	33 (9-81)	.001
Ratio donations:donors, median (IQR)	1.017 (1-1.09)	1.014 (1-1.047)	.5
Number of shares, median (IQR)	26.5 (0-219)	113 (5-398)	.007
Number of followers, median (IQR)	22 (1-47)	45 (13-109)	.001

<sup>a</sup>Analyses not performed or not appropriate.

<sup>b</sup>Total funds raised divided by requested. This only applied to campaigns with a funding goal.

**Figure 2.** Percent of total funding goal reached in US dollars.



**Table 3.** Summary of unproven “alternative treatment” campaigns.

Alternative treatments	All, n (%)	Successful n (%)	Funds raised (US \$), n (% of requested)	Funds requested (US \$)	COVID-19 misinformation, n (%)	Withdrawn, n (%)
Total	53 (100)	7 (13.2)	115,463 (2.06)	5,600,725	23 (43)	5 (9.4)
Herbal or homeopathic remedies	17 (32)	3 (17.6)	20,410 (0.44)	4,606,475	7 (41)	2 (3.7)
Ivermectin	14 (26)	1 (7.1)	25,615 (10.7)	238,800	11 (79)	1 (1.8)
Hydroxychloroquine	6 (11)	2 (33.3)	42,728 (17.5)	242,100	0 (0)	1 (1.8)
Vitamin D	4 (7.5)	0 (0)	4478 (12.4)	36,000	3 (75)	1 (1.8)
Meditation or functional	2 (4)	0 (0)	2063 (0.81)	252,700	0 (0)	0 (0)
Naturopathic	2 (4)	0 (0)	11784 (23.4)	50,250	1 (50)	0 (0)
Air purification	1 (2)	0 (0)	130 (0.13)	100,000	0 (0)	0 (0)
Essential oils	1 (2)	0 (0)	1135 (9.9)	11,500	0 (0)	0 (0)
Lifestyle	1 (2)	0 (0)	0 (0)	15,000	0 (0)	0 (0)
Music	1 (2)	0 (0)	0 (0)	30,000	0 (0)	0 (0)
Native American remedies	1 (2)	1 (100)	918 (153)	600	0 (0)	0 (0)
Melatonin	1 (2)	0 (0)	1880 (15.6)	12,000	0 (0)	0 (0)
Soaps	1 (2)	0 (0)	1197 (66.5)	1800	0 (0)	0 (0)
Vitamin C	1 (2)	0 (0)	3125 (90)	3500	1 (100)	0 (0)

### Mandates

A total of 96/30,368 (0.32%) campaigns were created to fund political positions in response to mask or vaccine mandates. Of these 93 campaigns, 80 (83%) were created to oppose restrictions (against requiring masks or vaccines; the most frequent mask mandates were in schools). The vast majority of campaigns did not meet funding goal (90/96, 86.9%), and the median funding percentage (proportion of goal reached) was 14.2%.

The median goal for campaigns was significantly higher (US \$25,000 vs US \$10,000) for campaigns opposing mask or vaccine mandates ( $P=.04$ ). Almost all (14/16, 87.5%) campaigns supporting restrictions (prorestriction) were in support of reinstating mask mandates, particularly in schools in areas where the mandate had been or was going to be lifted (Table 4). Category, followers, donations, and ratio of donations:donors were significantly associated with campaign success (Table 1). Among the campaigns seeking changes to health care mandates,

one campaign seeking broad legal challenges against a state governor obtained US \$31,730 (42.3%) of the US \$75,000 requested. The remaining 6 campaigns obtained US \$622 (0.2%) out of US \$410,000. This is in contrast with campaigns seeking to re-enforce masking in schools which raised \$37,247 (4.9%) of \$761,400.

Among the 80 campaigns requesting support for antirestriction positions, 48 (60%) contained verifiably false claims regarding COVID-19 and COVID-19 vaccination. This included claims that masks were ineffective or dangerous ( $n=18$ , 22.5%), children are unaffected by COVID-19 ( $n=10$ , 12.5%), COVID-19 is mild or similar to the common cold ( $n=10$ , 12.5%), individuals would be better to seek nonvaccine prevention ( $n=6$ , 7.5%), equivocal efficacy between various unproven COVID-19 treatments ( $n=4$ , 5%), the pandemic is not real or is a conspiracy ( $n=2$ , 2.5%), and the vaccine is not safe or effective ( $n=1$ , 1%; Table 5). Comparatively, the small minority of campaigns seeking to reimpose restrictions (16) contained no COVID-19 misinformation.

**Table 4.** Mandate-related campaigns.

Characteristics of the campaigns	Prorestriction <sup>a</sup> (n=16)	Antirestriction <sup>b</sup> (n=80)	P value
Median goal in US \$, n (IQR)	10,000 (2000-25,000)	25,000 (10,000-75,000)	.04
Median raised in US \$, n (IQR)	283 (0-3120)	210 (0-5131)	.82
Successful campaigns, n/N (%) <sup>c</sup>	2/15 (13.3)	2/79 (2.5)	.12
Number of donations, median (IQR)	4 (0-34)	5 (0-83.5)	.65
Number of donors, median (IQR)	4 (0-33)	5 (0-79.5)	.66
<b>Mandate type, n (%)</b>			.007
Mask	14 (87.5)	35 (43.8)	
Vaccine	2 (12.5)	37 (46.3)	
All restrictions	0 (0)	8 (10)	
<b>Mandate setting, n (%)</b>			.01
School	11 (68.8)	32 (40)	
Job	0 (0)	22 (27.5)	
Health care	0 (0)	7 (8.8)	
None or general	5 (31.3)	19 (23.8)	
Contains COVID-19 misinformation, n (%)	0 (0)	48 (60)	<.001
<b>Funds (US \$) received of total requested, n/N (%)</b>			— <sup>d</sup>
Total	30,193/860,900 (3.51)	514,584/21,419,900 (2.4)	
Mask	29,626/833,400 (3.55)	403,964/11,583,000 (3.49)	
Vaccine	567/27,500 (2.06)	110,620/9,836,900 (1.12)	

<sup>a</sup>Prorestriction indicates campaigns that were seeking to reinstate, strengthen, or support existing mandates on masking or vaccination. A recurring example was parents seeking support to reinstate mask mandates in schools that had lifted mask mandates.

<sup>b</sup>Antirestriction indicates campaigns that were seeking to remove mandates that required masking or vaccination.

<sup>c</sup>Some campaigns did not have funding goal despite remaining open. This accounts for the small number missing between the total n and those included in the campaign success columns.

<sup>d</sup>Not available or appropriate.

**Table 5.** Description of COVID-19 misinformation in GoFundMe campaigns.

Misinformation	Value (N=71 <sup>a</sup> ), n (%)	True statement with reference
[Alternative Treatment] is equivalent to traditional treatments or can replace vaccination.	22 (31)	“There is no evidence to support the efficacy of alternative treatments. There is decreased COVID-19 transmission and hospitalization rate among vaccinated individuals” [32].
Masks are ineffective or dangerous.	18 (25)	Masks are effective in decreasing the spread of COVID-19 [33].
Children cannot get COVID-19 or are not seriously affected.	10 (14)	“Children are less likely to experience severe COVID-19 compared to adults, but still have concerning rates of hospitalization and serious illness” [34].
COVID-19 is not severe or is equivalent to the common cold.	10 (14)	“There is a clinical spectrum including severe illness and death resulting from COVID-19 infection” [35].
Government is forcing an unsafe or experimental vaccine	6 (8)	“Mandates are in place for certain professions” [36]. “Data on vaccine safety is robust” [37].
Vaccination results in severe side effects.	4 (6)	“Vaccine side effects are rare and overwhelmingly mild” [37,38].
The pandemic is fake or a conspiracy.	4 (6)	“There are numerous and changing conspiracies about the origins and reality of the COVID-19 pandemic” [39].

<sup>a</sup>Some campaigns contained more than one verifiably false statement, so the sum of categories is greater than total campaigns containing false statements.



## Discussion

### Principal Results

There is a minority on the social media site GoFundMe seeking financial support for fringe beliefs regarding COVID-19. Among the small number of campaigns seeking assistance for alternative treatments and to oppose mandates, the majority (71/133, 53%) contained verified false information about COVID-19. These findings are novel in the literature for crowdfunding and verify the trends occurring amid the infodemic across other social media sites and the popular reporting on GoFundMe [20,21,40-42].

A small minority of web-based crowdfunding campaigns for COVID-19 on the GoFundMe platform explicitly sought funding for unproven or disproven medical treatments, as well as opposition to public health interventions such as masking (Table 5). Crowdfunding campaigns for alternative COVID-19 treatments and antimasking generated fewer views and less funding compared to campaigns seeking funding for traditional medical treatment. Interestingly, the number of campaigns that reached their stated goal was similar between alternative treatments and traditional treatments. Despite the similarity in “successful campaigns,” the funds generated as a percentage of the total requested between alternative (US \$115,000/\$5,600,000, 2.06%) and traditional treatments (US \$52,715,000/\$421,223,000, 12.5%) were substantially different. The discrepancy indicates that a small number of campaigns are able to generate significant funding while the majority fail to generate even a small percentage of the requested funds. These findings highlight the pervasiveness of unproven or disproven information about COVID-19, and the complex media through which this information continues to propagate.

This study is the first to examine the use of crowdfunding for positions on COVID-19–related mandates. We found that campaigns seeking funding for positions on mask and vaccine mandates rarely met funding goals. The majority of campaigns were in opposition to COVID-19 restrictions. In total, 48/80 (60%) of the antirestriction campaigns contained COVID-19 misinformation compared to none in the prorestriction category. Overall, there seemed to be very little interest in funding campaigns seeking to take political or legal action against mandates, particularly compared to the relative success seen in campaigns seeking medical care. An interesting subcategory consisted of the 7 campaigns in opposition to COVID-19 restrictions for health care workers, none of which achieved success, having raised very minimal funding despite asking for sizable donations. Among the campaigns written by or for those in the health care industry, all but one contained false or misleading claims about COVID-19. Health care workers continue to represent a challenging demographic, with significant regional variation in vaccination rates and opinions on COVID-19 treatments [43,44]. The lack of support and the small minority of health care workers seeking assistance may suggest increased COVID-19 awareness, limited appetite to fund such endeavors, or both.

The overall success rate of COVID-19–related campaigns approached 14%, indicating a sizeable and persistent gap between the funds raised and the funding needs of individuals still affected by COVID-19 [29]. Compared to a similar analysis by Saleh et al [2], in the first months of the pandemic (March 2020), this study shows a similar rate of success as measured by campaigns reaching their goal. In contrast to that study, we found a much higher median goal (US \$10,000 vs US \$5000) with a higher median amount raised (US \$2,808 vs US \$930). Two years into the pandemic, there is still support for campaigns at approximately the same level previously noted in the literature. Despite this continued support, there were substantial differences in the types of campaigns that received funding.

### Limitations

Our study has several limitations. A major limitation is the singular time frame when the campaigns were collected. The goal was to obtain a snapshot of the landscape of COVID-19 crowdfunding, but only active or recently closed campaigns were captured. As the date range (2011-2021) suggests, some of these campaigns had been active for a long time while others were recently open. The older campaigns (including those that preexisted COVID-19) were subject to the same screening for relevance. We intentionally excluded campaigns open for <30 days to minimize this limitation. Conversely, it is possible that some of the most successful campaigns open and close quickly after meeting funding goals. This was not demonstrated in the sensitivity analysis when we reviewed campaigns open less than 30 days. Moreover, the description of “alternative treatments” has been presented in a singular study, and we take our definition from that study [45]. We sought to capture the broad interpretation of medical treatments that have not been adopted as standard of care in the treatment of COVID-19. Data are always evolving, and some or all of these treatments may become part of that standard in the future. Despite these limitations, this is the first cross-sectional analysis of COVID-19 misinformation among GoFundMe campaigns and the first study to examine the crowdfunding for political and legal challenges to COVID-19 mandates. Furthermore, it adds to the growing body of literature on social networking and crowdfunding for alternative treatments to COVID-19.

### Conclusions

There was a small minority of crowdfunding campaigns seeking assistance for unproven alternative COVID-19 treatments, about half of which contained COVID-19 misinformation and very few of which were successful. Additionally, the majority of campaigns seeking funding for legal or political action against COVID-19 mandates contained COVID-19 misinformation and were unpopular and underfunded. Crucially, these data also raise concerns for the moral and ethical implications of the funds raised; where these monies used to fund the purposes stated or where they meant to capitalize on often politically charged beliefs? Our findings have implications for how individuals and organizations seek and obtain funding and add to the growing commentary on the ethical challenges associated with social media, COVID-19, and misinformation.

## Acknowledgments

We thank Hartley Brody for assistance in obtaining GoFundMe data.

## Conflicts of Interest

None declared.

## Multimedia Appendix 1

Key word categorization and search terms for each category.

[\[DOCX File, 21 KB-Multimedia Appendix 1\]](#)

## Multimedia Appendix 2

Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) checklist.

[\[PDF File \(Adobe PDF File\), 120 KB-Multimedia Appendix 2\]](#)

## References

1. Covid-19's \$24 trillion cost (so far) means economics will never be the same. Forbes. 2021 Feb 26. URL: <https://www.forbes.com/sites/williampesek/2021/02/26/covid-19s-24-trillion-cost-so-far-means-economics-will-never-be-the-same/?sh=771257bc4844> [accessed 2021-12-27]
2. Saleh SN, Lehmann CU, Medford RJ. Early Crowdfunding Response to the COVID-19 Pandemic: Cross-sectional Study. J Med Internet Res 2021 Feb 09;23(2):e25429 [FREE Full text] [doi: [10.2196/25429](https://doi.org/10.2196/25429)] [Medline: [33523826](https://pubmed.ncbi.nlm.nih.gov/33523826/)]
3. Rajwa P, Hopen P, Mu L, Paradysz A, Wojnarowicz J, Gross CP, et al. Online Crowdfunding Response to Coronavirus Disease 2019. J Gen Intern Med 2020 Aug 27;35(8):2482-2484 [FREE Full text] [doi: [10.1007/s11606-020-05896-x](https://doi.org/10.1007/s11606-020-05896-x)] [Medline: [32462566](https://pubmed.ncbi.nlm.nih.gov/32462566/)]
4. GoFundMe CEO: Hello Congress, Americans need help and we can't do your job for you. USA Today. URL: <https://www.usatoday.com/story/opinion/voices/2021/02/11/gofundme-ceo-congress-pass-covid-relief-desperate-americans-column/4440425001> [accessed 2021-12-27]
5. Saleh SN, Ajufo E, Lehmann CU, Medford RJ. A Comparison of Online Medical Crowdfunding in Canada, the UK, and the US. JAMA Netw Open 2020 Oct 01;3(10):e2021684 [FREE Full text] [doi: [10.1001/jamanetworkopen.2020.21684](https://doi.org/10.1001/jamanetworkopen.2020.21684)] [Medline: [33104206](https://pubmed.ncbi.nlm.nih.gov/33104206/)]
6. Berliner LS, Kenworthy NJ. Producing a worthy illness: Personal crowdfunding amidst financial crisis. Soc Sci Med 2017 Aug;187:233-242. [doi: [10.1016/j.socscimed.2017.02.008](https://doi.org/10.1016/j.socscimed.2017.02.008)] [Medline: [28274601](https://pubmed.ncbi.nlm.nih.gov/28274601/)]
7. Bassani G, Marinelli N, Vismara S. Crowdfunding in healthcare. J Technol Transf 2018 Apr 20;44(4):1290-1310. [doi: [10.1007/s10961-018-9663-7](https://doi.org/10.1007/s10961-018-9663-7)]
8. Snyder J, Mathers A, Crooks VA. Fund my treatment!: A call for ethics-focused social science research into the use of crowdfunding for medical care. Soc Sci Med 2016 Nov;169:27-30. [doi: [10.1016/j.socscimed.2016.09.024](https://doi.org/10.1016/j.socscimed.2016.09.024)] [Medline: [27665200](https://pubmed.ncbi.nlm.nih.gov/27665200/)]
9. Gisondi MA, Barber R, Faust JS, Raja A, Strehlow MC, Westafer LM, et al. A Deadly Infodemic: Social Media and the Power of COVID-19 Misinformation. J Med Internet Res 2022 Feb 01;24(2):e35552 [FREE Full text] [doi: [10.2196/35552](https://doi.org/10.2196/35552)] [Medline: [35007204](https://pubmed.ncbi.nlm.nih.gov/35007204/)]
10. Karkowsky CE. Doctors Feel Compassion Fatigue About Vaccine Refusers. The Atlantic. 2021 Aug 11. URL: <https://www.theatlantic.com/ideas/archive/2021/08/health-care-workers-compassion-fatigue-vaccine-refusers/619716> [accessed 2021-12-27]
11. Alharbi J, Jackson D, Usher K. The potential for COVID-19 to contribute to compassion fatigue in critical care nurses. J Clin Nurs 2020 Aug 18;29(15-16):2762-2764 [FREE Full text] [doi: [10.1111/jocn.15314](https://doi.org/10.1111/jocn.15314)] [Medline: [32344460](https://pubmed.ncbi.nlm.nih.gov/32344460/)]
12. Naeem SB, Bhatti R. The Covid-19 'infodemic': a new front for information professionals. Health Info Libr J 2020 Sep 13;37(3):233-239 [FREE Full text] [doi: [10.1111/hir.12311](https://doi.org/10.1111/hir.12311)] [Medline: [32533803](https://pubmed.ncbi.nlm.nih.gov/32533803/)]
13. Muric G, Wu Y, Ferrara E. COVID-19 Vaccine Hesitancy on Social Media: Building a Public Twitter Data Set of Antivaccine Content, Vaccine Misinformation, and Conspiracies. JMIR Public Health Surveill 2021 Nov 17;7(11):e30642 [FREE Full text] [doi: [10.2196/30642](https://doi.org/10.2196/30642)] [Medline: [34653016](https://pubmed.ncbi.nlm.nih.gov/34653016/)]
14. Cruickshank I, Ginossar T, Sulskis J, Zheleva E, Berger-Wolf T. Content and Dynamics of Websites Shared Over Vaccine-Related Tweets in COVID-19 Conversations: Computational Analysis. J Med Internet Res 2021 Dec 03;23(12):e29127 [FREE Full text] [doi: [10.2196/29127](https://doi.org/10.2196/29127)] [Medline: [34665760](https://pubmed.ncbi.nlm.nih.gov/34665760/)]
15. Suarez-Lledo V, Alvarez-Galvez J. Prevalence of Health Misinformation on Social Media: Systematic Review. J Med Internet Res 2021 Jan 20;23(1):e17187 [FREE Full text] [doi: [10.2196/17187](https://doi.org/10.2196/17187)] [Medline: [33470931](https://pubmed.ncbi.nlm.nih.gov/33470931/)]
16. Naeem SB, Bhatti R, Khan A. An exploration of how fake news is taking over social media and putting public health at risk. Health Info Libr J 2021 Jun 12;38(2):143-149 [FREE Full text] [doi: [10.1111/hir.12320](https://doi.org/10.1111/hir.12320)] [Medline: [32657000](https://pubmed.ncbi.nlm.nih.gov/32657000/)]

17. Kłak A, Grygielska J, Mańczak M, Ejchman-Pac E, Owoc J, Religioni U, et al. Online Information of COVID-19: Visibility and Characterization of Highest Positioned Websites by Google between March and April 2020-A Cross-Country Analysis. *Int J Environ Res Public Health* 2022 Jan 28;19(3):1491 [FREE Full text] [doi: [10.3390/ijerph19031491](https://doi.org/10.3390/ijerph19031491)] [Medline: [35162513](https://pubmed.ncbi.nlm.nih.gov/35162513/)]
18. Ahmed W, Vidal-Alaball J, Vilaseca J. A Social Network Analysis of Twitter Data Related to Blood Clots and Vaccines. *Int J Environ Res Public Health* 2022 Apr 11;19(8):4584 [FREE Full text] [doi: [10.3390/ijerph19084584](https://doi.org/10.3390/ijerph19084584)] [Medline: [35457451](https://pubmed.ncbi.nlm.nih.gov/35457451/)]
19. Snyder J, Zenone M, Caulfield T. Crowdfunding Campaigns and COVID-19 Misinformation. *Am J Public Health* 2021 Apr;111(4):739-742. [doi: [10.2105/ajph.2020.306121](https://doi.org/10.2105/ajph.2020.306121)]
20. At least 4 groups have been using PayPal and GoFundMe to fundraise for ivermectin, Covid misinformation. *Forbes*. 2021 Oct 07. URL: <https://www.forbes.com/sites/abrambrown/2021/10/07/at-least-4-groups-have-been-using-paypal-and-gofundme-to-fundraise-for-ivermectin-covid-misinformation/?sh=1feab5e93ee3> [accessed 2022-03-24]
21. GoFundMe takes down \$180,000 fundraiser for anti-mandate lawsuit, saying it violates their policy against vaccine 'misinformation'. *Business Insider*. 2021 Oct 11. URL: <https://www.businessinsider.com/gofundme-takes-down-fundraiser-for-anti-vaccine-mandate-lawsuit-2021-10> [accessed 2022-03-24]
22. The lucrative business of stoking vaccine skepticism. *Slate*. URL: <https://slate.com/technology/2021/08/givesendgo-gofundme-vaccine-skeptics-covid-misinformation.html> [accessed 2022-03-27]
23. Covid-19 — Myth Versus Fact. *John Hopkins Medicine*. 2021. URL: <https://www.hopkinsmedicine.org/health/conditions-and-diseases/coronavirus/2019-novel-coronavirus-myth-versus-fact> [accessed 2022-03-23]
24. Myths and Facts about COVID-19 Vaccines. *Centers for Disease Control and Prevention*. URL: <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/facts.html> [accessed 2022-03-23]
25. Coronavirus disease (COVID-19) advice for the public: Mythbusters. *World Health Organization*. URL: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/advice-for-public/myth-busters> [accessed 2022-03-23]
26. List of unproven methods against COVID-19. *Wikipedia*. URL: [https://en.wikipedia.org/wiki/List\\_of\\_unproven\\_methods\\_against\\_COVID-19](https://en.wikipedia.org/wiki/List_of_unproven_methods_against_COVID-19) [accessed 2022-03-23]
27. COVID-19 myths debunked. *Mayo Clinic Health System*. 2020 Nov 03. URL: <https://www.mayoclinichealthsystem.org/hometown-health/featured-topic/11-covid-19-myths-debunked> [accessed 2022-03-23]
28. Cohen AJ, Brody H, Patino G, Ndoye M, Liaw A, Butler C, et al. Use of an Online Crowdfunding Platform for Unmet Financial Obligations in Cancer Care. *JAMA Intern Med* 2019 Dec 01;179(12):1717. [doi: [10.1001/jamainternmed.2019.3330](https://doi.org/10.1001/jamainternmed.2019.3330)]
29. Igra M, Kenworthy N, Luchsinger C, Jung J. Crowdfunding as a response to COVID-19: Increasing inequities at a time of crisis. *Soc Sci Med* 2021 Aug;282:114105 [FREE Full text] [doi: [10.1016/j.socscimed.2021.114105](https://doi.org/10.1016/j.socscimed.2021.114105)] [Medline: [34139479](https://pubmed.ncbi.nlm.nih.gov/34139479/)]
30. Understanding the infodemic and misinformation in the fight against COVID-19. *Pan American Health Organization*. URL: [https://iris.paho.org/bitstream/handle/10665.2/52052/Factsheet-infodemic\\_eng.pdf](https://iris.paho.org/bitstream/handle/10665.2/52052/Factsheet-infodemic_eng.pdf) [accessed 2022-07-14]
31. Vandembroucke JP, von Elm E, Altman DG, Gøtzsche PC, Mulrow CD, Pocock SJ, et al. Strengthening the Reporting of Observational Studies in Epidemiology (STROBE). *Epidemiology* 2007;18(6):805-835. [doi: [10.1097/ede.0b013e3181577511](https://doi.org/10.1097/ede.0b013e3181577511)]
32. COVID-19 and “alternative” treatments: what you need to know. *National Center for Complimentary and Integrative Health*. URL: <https://www.nccih.nih.gov/health/covid-19-and-alternative-treatments-what-you-need-to-know> [accessed 2022-03-28]
33. Andrejko KL, Pry JM, Myers JF, Fukui N, DeGuzman JL, Openshaw J, California COVID-19 Case-Control Study Team. Effectiveness of Face Mask or Respirator Use in Indoor Public Settings for Prevention of SARS-CoV-2 Infection - California, February-December 2021. *MMWR Morb Mortal Wkly Rep* 2022 Feb 11;71(6):212-216 [FREE Full text] [doi: [10.15585/mmwr.mm7106e1](https://doi.org/10.15585/mmwr.mm7106e1)] [Medline: [35143470](https://pubmed.ncbi.nlm.nih.gov/35143470/)]
34. Preston LE, Chevinsky JR, Kompaniyets L, Lavery AM, Kimball A, Boehmer TK, et al. Characteristics and Disease Severity of US Children and Adolescents Diagnosed With COVID-19. *JAMA Netw Open* 2021 Apr 01;4(4):e215298 [FREE Full text] [doi: [10.1001/jamanetworkopen.2021.5298](https://doi.org/10.1001/jamanetworkopen.2021.5298)] [Medline: [33835179](https://pubmed.ncbi.nlm.nih.gov/33835179/)]
35. Clinical spectrum of SARS-CoV-2 infection. *National Institutes of Health*. 2021 Oct 19. URL: <https://www.covid19treatmentguidelines.nih.gov/overview/clinical-spectrum> [accessed 2022-03-30]
36. National COVID- 19 preparedness plan. *The White House*. URL: <https://www.whitehouse.gov/covidplan> [accessed 2022-03-30]
37. Anand P, Stahel VP. Review the safety of Covid-19 mRNA vaccines: a review. *Patient Saf Surg* 2021 May 01;15(1):20 [FREE Full text] [doi: [10.1186/s13037-021-00291-9](https://doi.org/10.1186/s13037-021-00291-9)] [Medline: [33933145](https://pubmed.ncbi.nlm.nih.gov/33933145/)]
38. Al Khames Aga QA, Alkhattaf WH, Hatem TH, Nassir KF, Batineh Y, Dahham AT, et al. Safety of COVID-19 vaccines. *J Med Virol* 2021 Dec 28;93(12):6588-6594 [FREE Full text] [doi: [10.1002/jmv.27214](https://doi.org/10.1002/jmv.27214)] [Medline: [34270094](https://pubmed.ncbi.nlm.nih.gov/34270094/)]
39. Pertwee E, Simas C, Larson HJ. An epidemic of uncertainty: rumors, conspiracy theories and vaccine hesitancy. *Nat Med* 2022 Mar;28(3):456-459. [doi: [10.1038/s41591-022-01728-z](https://doi.org/10.1038/s41591-022-01728-z)] [Medline: [35273403](https://pubmed.ncbi.nlm.nih.gov/35273403/)]
40. Yeung AWK, Tosevska A, Klager E, Eibensteiner F, Tsagkaris C, Parvanov ED, et al. Medical and Health-Related Misinformation on Social Media: Bibliometric Study of the Scientific Literature. *J Med Internet Res* 2022 Jan 25;24(1):e28152 [FREE Full text] [doi: [10.2196/28152](https://doi.org/10.2196/28152)] [Medline: [34951864](https://pubmed.ncbi.nlm.nih.gov/34951864/)]

41. Ghaddar A, Khandaqji S, Awad Z, Kansoun R. Conspiracy beliefs and vaccination intent for COVID-19 in an infodemic. *PLoS One* 2022;17(1):e0261559 [[FREE Full text](#)] [doi: [10.1371/journal.pone.0261559](https://doi.org/10.1371/journal.pone.0261559)] [Medline: [35020721](https://pubmed.ncbi.nlm.nih.gov/35020721/)]
42. Gisoni M, Chambers D, La TM, Ryan A, Shankar A, Xue A, et al. A Stanford Conference on Social Media, Ethics, and COVID-19 Misinformation (INFODEMIC): Qualitative Thematic Analysis. *J Med Internet Res* 2022 Feb 15;24(2):e35707 [[FREE Full text](#)] [doi: [10.2196/35707](https://doi.org/10.2196/35707)] [Medline: [35030089](https://pubmed.ncbi.nlm.nih.gov/35030089/)]
43. Sharma R, Kumar M, Rohilla KK. COVID-19 Infodemic: Evaluating Information-Seeking Behaviour Among Healthcare Workers During a Pandemic. *Cureus* 2022 Jan;14(1):e20910 [[FREE Full text](#)] [doi: [10.7759/cureus.20910](https://doi.org/10.7759/cureus.20910)] [Medline: [35154911](https://pubmed.ncbi.nlm.nih.gov/35154911/)]
44. Reses HE, Jones ES, Richardson DB, Cate KM, Walker DW, Shapiro CN. COVID-19 vaccination coverage among hospital-based healthcare personnel reported through the Department of Health and Human Services Unified Hospital Data Surveillance System, United States, January 20, 2021-September 15, 2021. *Am J Infect Control* 2021 Dec;49(12):1554-1557 [[FREE Full text](#)] [doi: [10.1016/j.ajic.2021.10.008](https://doi.org/10.1016/j.ajic.2021.10.008)] [Medline: [34802705](https://pubmed.ncbi.nlm.nih.gov/34802705/)]
45. Song S, Cohen AJ, Lui H, Mmonu NA, Brody H, Patino G, et al. Use of GoFundMe to crowdfund complementary and alternative medicine treatments for cancer. *J Cancer Res Clin Oncol* 2020 Jul 26;146(7):1857-1865. [doi: [10.1007/s00432-020-03191-0](https://doi.org/10.1007/s00432-020-03191-0)] [Medline: [32219517](https://pubmed.ncbi.nlm.nih.gov/32219517/)]

## Abbreviations

**IRB:** Institutional Review Board

**STROBE:** Strengthening the Reporting of Observational Studies in Epidemiology

*Edited by M Gisoni, J Faust; submitted 31.03.22; peer-reviewed by N Hu; comments to author 30.05.22; revised version received 03.06.22; accepted 04.06.22; published 27.07.22*

*Please cite as:*

*Shaw NM, Hakam N, Lui J, Abbasi B, Sudhakar A, Leapman MS, Breyer BN*

*COVID-19 Misinformation and Social Network Crowdfunding: Cross-sectional Study of Alternative Treatments and Antivaccine Mandates*

*J Med Internet Res* 2022;24(7):e38395

URL: <https://www.jmir.org/2022/7/e38395>

doi: [10.2196/38395](https://doi.org/10.2196/38395)

PMID: [35820053](https://pubmed.ncbi.nlm.nih.gov/35820053/)

©Nathan M Shaw, Nizar Hakam, Jason Lui, Behzad Abbasi, Architha Sudhakar, Michael S Leapman, Benjamin N Breyer. Originally published in the *Journal of Medical Internet Research* (<https://www.jmir.org>), 27.07.2022. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the *Journal of Medical Internet Research*, is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.