

Corrigenda and Addenda

Correction: Effect of Harm Anchors in Visual Displays of Test Results on Patient Perceptions of Urgency About Near-Normal Values: Experimental Study

Brian J Zikmund-Fisher^{1,2,3}, PhD; Aaron M Scherer^{3,4}, PhD; Holly O Witteman^{5,6,7,8}, PhD; Jacob B Solomon³, PhD; Nicole L Exe³, MPH; Angela Fagerlin^{9,10}, PhD

¹Department of Health Behavior and Health Education, University of Michigan, Ann Arbor, MI, United States

²Department of Internal Medicine, University of Michigan, Ann Arbor, MI, United States

³Center for Bioethics and Social Sciences in Medicine, University of Michigan, Ann Arbor, MI, United States

⁴Department of Internal Medicine, University of Iowa, Iowa City, IA, United States

⁵Department of Family and Emergency Medicine, Laval University, Quebec City, QC, Canada

⁶Office of Education and Professional Development, Faculty of Medicine, Laval University, Quebec City, QC, Canada

⁷Population Health and Optimal Health Practices Research Unit, Research Center of the CHU de Québec-Université Laval, Quebec City, QC, Canada

⁸Laval University Research Institute for Primary Care and Health Services, Quebec City, QC, Canada

⁹Department of Population Health Sciences, University of Utah, Salt Lake City, UT, United States

¹⁰Salt Lake City Veterans Affairs Center for Informatics Decision Enhancement and Surveillance, Salt Lake City, UT, United States

Corresponding Author:

Brian J Zikmund-Fisher, PhD

Department of Health Behavior and Health Education

University of Michigan

1415 Washington Heights

Ann Arbor, MI, 48109-2029

United States

Phone: 1 7349369179

Email: bzikmund@umich.edu

Related Article:

Correction of: <http://www.jmir.org/2018/3/e98/>

(*J Med Internet Res* 2018;20(3):e98) doi: [10.2196/74908](https://doi.org/10.2196/74908)

In “Effect of Harm Anchors in Visual Displays of Test Results on Patient Perceptions of Urgency About Near-Normal Values: Experimental Study” (*J Med Internet Res* 2018;20(3):e98) the authors noted one error.

In Table 2, the row labels for the 3 rows under “Extreme results” have been revised. The row headers that previously stated:

Platelets=135 x 10⁹/L

ALT=80 U/L

Creatinine=2.2 mg/dL

Have been revised to read:

Platelets=25 x 10⁹/L

ALT=360 U/L

Creatinine=3.4 mg/dL

The correction will appear in the online version of the paper on the JMIR Publications website, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

This is a non-peer-reviewed article. Submitted 25.03.25; accepted 27.03.25; published 02.04.25.

Please cite as:

Zikmund-Fisher BJ, Scherer AM, Witteman HO, Solomon JB, Exe NL, Fagerlin A

Correction: Effect of Harm Anchors in Visual Displays of Test Results on Patient Perceptions of Urgency About Near-Normal Values: Experimental Study

J Med Internet Res 2025;27:e74908

URL: <https://www.jmir.org/2025/1/e74908>

doi: [10.2196/74908](https://doi.org/10.2196/74908)

PMID:

©Brian J Zikmund-Fisher, Aaron M Scherer, Holly O Witteman, Jacob B Solomon, Nicole L Exe, Angela Fagerlin. Originally published in the Journal of Medical Internet Research (<https://www.jmir.org>), 02.04.2025. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the Journal of Medical Internet Research (ISSN 1438-8871), is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.