

Corrigenda and Addenda

Correction: Designing Clinical Decision Support Systems (CDSS)—A User-Centered Lens of the Design Characteristics, Challenges, and Implications: Systematic Review

Andrew A Bayor¹, PhD; Jane Li¹, MBBS, PhD; Ian A Yang^{2,3}, MBBS, PhD; Marlien Varnfield¹, PhD

¹Australian e-Health Research Centre, Commonwealth Scientific and Industrial Research Organisation, Brisbane, QLD, Australia

²Thoracic Program, The Prince Charles Hospital, Brisbane, QLD, Australia

³Faculty of Medicine, The University of Queensland, Brisbane, QLD, Australia

Corresponding Author:

Andrew A Bayor, PhD

Australian e-Health Research Centre, Commonwealth Scientific and Industrial Research Organisation

296 Herston Rd, Herston

Brisbane, QLD 4006

Australia

Phone: 61 7 3253 3620

Email: andrew.bayor@csiro.au

Related Article:

Correction of: <https://www.jmir.org/2025/1/e63733>

J Med Internet Res 2025;27:e84380; doi: [10.2196/84380](https://doi.org/10.2196/84380)

In “Designing Clinical Decision Support Systems (CDSS)—A User-Centered Lens of the Design Characteristics, Challenges, and Implications: Systematic Review” [1], one sentence has been changed.

In the “Data Availability” section, the second sentence originally appeared as:

In addition, data on the search strategy, an overview of the findings, and author contributions are also attached as Multimedia Appendices 1, 3 and 4, respectively.

This sentence now reads:

In addition, data on the search strategy and an overview of the findings are also attached as Multimedia Appendices 1 and 2, respectively.

The correction will appear in the online version of the paper on the JMIR Publications website, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted as needed to relevant repositories.

References

1. Bayor AA, Li J, Yang IA, Varnfield M. Designing clinical decision support systems (CDSS)—a user-centered lens of the design characteristics, challenges, and implications: systematic review. *J Med Internet Res*. Jun 20, 2025;27:e63733. [doi: [10.2196/63733](https://doi.org/10.2196/63733)] [Medline: [40540451](https://pubmed.ncbi.nlm.nih.gov/40540451/)]

This is a non-peer-reviewed article; submitted 18.09.2025; accepted 18.09.2025; published 25.09.2025

Please cite as:

Bayor AA, Li J, Yang IA, Varnfield M

Correction: Designing Clinical Decision Support Systems (CDSS)—A User-Centered Lens of the Design Characteristics, Challenges, and Implications: Systematic Review

J Med Internet Res 2025;27:e84380

URL: <https://www.jmir.org/2025/1/e84380>

doi: [10.2196/84380](https://doi.org/10.2196/84380)

© Andrew A Bayor, Jane Li, Ian A Yang, Marlien Varnfield. Originally published in the Journal of Medical Internet Research (<https://www.jmir.org>), 25.09.2025. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the Journal of Medical Internet Research (ISSN 1438-8871), is properly cited. The complete bibliographic information, a link to the original publication on <https://www.jmir.org/>, as well as this copyright and license information must be included.